

SK ID Solutions AS Time-Stamping Authority Practice Statement

Version 1.4 Effective from 07.03.2018

Version Information		
Date	Version	Modifications
07.03.2018	1.4	Due to change of SK's business name from AS
		Sertifitseerimiskeskus to SK ID Solutions AS, name of the
		SK TSA PS has been changed accordingly. Also, former
		business name has been replaced with the new one within
		this document.
01.06.2016	1.3	Document is restructured according to ETSI EN 319 421
		and AS Sertifitseerimiskeskus Trust Service Practice
		Statement.
03.12.2015	1.2	p. 7.3.1. Removed support for SHA1 and SHA224 hash
		algorithms in time-stamp requests.
01.11.2015	1.1	Additions and amendments:
		- p. 5.2. Object-identifier (OID) has been changed. The
		OID was incorrect as it contained an extra zero.
		- p. 7.1.2. Disclosure Statement is provided as a part of
		Terms and Conditions.
01.10.2014	1.0	First public version

SK ID Solutions AS Page 1 / 16



Table of Contents

1. Int	roduction	
1.1.	Overview	4
2. Re	eferences	5
2.1.	Normative references	
2.2.	Informative references	6
o D.	Carrier and all the Carrier Carrier	•
	efinitions, symbols and abbreviations	
3.1.	Definitions	
3.2.	Abbreviations	/
4. Ge	eneral concepts	7
4.1.	General Policy Requirements Concepts	7
4.2.	Time-Stamping Services	7
4.3.	Time-Stamping Services Participants	7
4.4.	Time-Stamping Policy and TSA Practice Statement	10
5 Tir	ne-Stamping Policies	10
5. TII	General	
5.2.	Identification	
	licies and practices	
6.1.	Risk assessment	11
6.2.	Trust Service Practice Statement	11
6.3.	Terms and conditions	11
6.4.	Information security policy	11
6.5.	TSA Obligations	11
6.6.	TSA Subscriber Obligations	11
6.7.	TSA Relying Party Obligations	11
6.8.	Liability	12
7 TS	SA management and operation	12
	Introduction	12
7.2.	Internal Organisation	
7.3.	Personnel Security	
7.4.	Asset Management	
7.5.	Access Control	
7.6.	Cryptographic Controls	
7.7.	Time-Stamping	
7.7. 7.8.	Physical and Environmental Security	
7.9.	Operation Security	
7.10.		
7.11.	-	



7.12.	Collection of evidence	.15
7.13.	Business Continuity Management	.15
7.14.	TSA termination and termination plans	.16
7.15.	Compliance	.16



1. Introduction

AS Sertifitseerimiskeskus was founded on March 26th 2001. In the December of 2016 the business name was changed from AS Sertifitseerimiskeskus to SK ID Solutions (hereafter SK). The owners of the limited liability company are AS Swedbank, AS SEB Pank and Telia Eesti AS. The principal activities of SK are offering trust services and related technical solutions in the Baltic region. These services guarantee secure and verified electronic communication with public institutions as well as businesses in everyday life.

Inspired by the ETSI EN 319 400 series, SK has divided its documentation into three parts:

- SK Trust Services Practice Statement (SK PS) describes general practices common to all trust services;
- Certification Practice Statements and Time-Stamping Practice Statements describe parts that are specific to each Subordinate CA or Time-Stamping Unit;
- Technical Profiles are in separate documents.

The SK Time-Stamping Authority (SK TSA) uses the public key infrastructure and trusted time sources to provide reliable, standards-based qualified time-stamps. SK time-stamps may be applied to any application requiring proof that datum existed before particular time.

This document states time-stamping specific practices of SK. In particular, the facility, management and operational controls such that Subscriber and Relaying Parties may evaluate their confidence in the operation of SK time-stamping services. This document should be read in conjunction with the SK Trust Services Practice Statement (SK PS), which describes overall SK trust services practices.

SK time-stamping service conforms to [eIDAS regulation], legal acts of Estonia and ETSI EN 319 421 Electronic Signatures and Infrastructures (ESI); Policy and Security Requirements for Trust Service Providers issuing Time-Stamps and other related standards.

1.1. Overview

SK issues Time-Stamping Tokens in accordance with ETSI EN 319 421 best practice for time-stamping policy.


EE Certification Centre Root CA has certified SK Time-Stamping Authority.

The Root CA certificates and other certificates necessary for PKI operation are available from SK's homepage at http://www.sk.ee/en/repository/certs.

The relations between EE Certification Centre Root CA, subordinate CA-s and the CP-s are shown on the following figures:

SK ID Solutions AS Page 4 / 16





The time-stamping service described in this SK TSA PS has qualified status in the Trusted List of Estonia, https://sr.riik.ee/en/tsl/estonia.html.

In the case of conflict between SK TSA PS and SK PS the provisions of SK TSA PS shall prevail. In case of conflict between the English original document and the Estonian translation, the English original shall prevail.

2. References

2.1. Normative references

[eIDAS regulation] Regulation (EU) No 910/2014 of European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.

[GDPR] Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation) (Text with EEA relevance);

[ETSI EN 319 421] ETSI EN 319 421 "Electronic Signatures and Infrastructures (ESI); Policy and Security Requirements for Trust Service Providers issuing Time-Stamps".

[EUTS] Electronic Identification and Trust Services for Electronic Transactions Act.

SK ID Solutions AS Page 5 / 16



[PDPA] Personal Data Protection Act of Estonia.

[RFC 3161] RFC 3161: "Internet X.509 Public Key Infrastructure Time-stamp Protocol".

[SK PS] SK ID Solutions AS Trust Services Practice Statement.

2.2. Informative references

ITU-R Recommendation TF.460-6 (02/02): "Standard-frequency and time-signal emissions".

RFC 5905: "Network Time Protocol Version 4: Protocol and Algorithms Specification".

3. Definitions, symbols and abbreviations

3.1. Definitions

Coordinated Universal	the time scale based on the second as defined in ITU-R
Time (UTC)	Recommendation TF.460-6 (02/02)
Network Time Protocol	protocol to synchronize system clocks among a set of
(NTP)	distributed time servers and clients as defined in RFC 5905
Relying Party	the recipient of a Time-Stamp Token who relies on that Time-
	Stamp Token
Root CA	the top level certification authority whose certificate is
	distributed by application software suppliers and that issues
	subordinate SK CA and TSU certificates.
Subscriber	the entity which requires the services provided by a TSA and
	has entered into the SK ID Solutions Subscriber agreement
Time-Stamping Policy	a named set of rules that indicates the applicability of a Time-
	Stamp Token to a particular community and/or class of
	application with common security requirements applicable; the
	Time-Stamping Policy is defined in [ETSI 102023]
Time-Stamp Token (TST)	the data object that binds a representation of a datum to a
	particular time, thus establishing evidence that the datum
	existed before that time
Time-Stamping Authority	the authority which issues Time-Stamp Tokens
(TSA)	
Time-Stamping Unit (TSU)	a set of hardware and software which is managed as a unit
	and has a single Time-Stamp Token signing key active at a
	time (cluster of server nodes and hardware security modules
	(HSM) using common signing key)
TSA Disclosure Statement	a set of statements about the policies and practices of a TSA
	that particularly require emphasis or disclosure to Subscribers
	and Relying Parties, for example to meet regulatory
	requirements

SK ID Solutions AS Page 6 / 16



TSA Practice Statement	statement of the practices that a TSA employs in issuing Time-Stamp Tokens
TSA System	a composition of information technology products and components organized to support the provision of time-stamping

3.2. Abbreviations

CA	Certification Authority
ETSI	European Telecommunications Standards Institute
GPS	Global Positioning System
HSM	Hardware Security Modules
NTP	Network Time Protocol
SK	SK ID Solutions AS
SK PS	SK ID Solutions AS Trust Services Practice Statement
SK TSA PS	SK ID Solutions AS Time-Stamping Authority Practice
	Statement
TSA	Time-Stamping Authority
TST	Time-Stamp Token
TSU	Time-Stamping Unit
UTC	Coordinated Universal Time

4. General concepts

4.1. General Policy Requirements Concepts

The SK TSA PS references SK PS for common practices to all SK trust services.

4.2. Time-Stamping Services

SK takes overall responsibility for the provision of the time-stamping services, which include the following components:

- time-stamping provision the service component that generates TSTs.
- time-stamping management the service component that monitors and controls the operation of the time-stamping services to ensure that the service provided is as specified in overall SK PS and in this SK TSA PS.

SK TSA adheres to the standards and regulations in section 2 of this document to keep trustworthiness of the time-stamping services for Subscribers and Relying Parties.

4.3. Time-Stamping Services Participants

4.3.1. Time-Stamping Authority

SK ID Solutions AS Page 7 / 16

SK-TSA-PS-20180307 v1.4

Time-Stamping Authority Practice Statement



SK TSA is trusted by the users (i.e. Subscribers as well as Relying Parties) to issue TSTs. SK TSA has overall responsibility for the provision of the time-stamping services identified in section 5.2 SK TSA may operate several identifiable TSUs. SK has responsibility for the operation TSU that creates and signs on behalf of the TSA.

SK TSA is identified in the TSU certificate used to sign TST:

```
Certificate:
    Data:
        Version: 3 (0x2)
        Serial Number:
            24:af:ec:eb:12:68:d0:02:54:17:f7:86:ed:6f:01:59
        Signature Algorithm: sha256WithRSAEncryption
        Issuer: C=EE, O=AS Sertifitseerimiskeskus, CN=EE Certification Centre Root
CA/emailAddress=pki@sk.ee
        Validity
            Not Before: Sep 16 08:40:38 2014 GMT
            Not After: Sep 16 08:40:38 2019 GMT
        Subject: C=EE, O=AS Sertifitseerimiskeskus, OU=TSA, CN=SK TIMESTAMPING AUTHORITY
        Subject Public Key Info:
            Public Key Algorithm: rsaEncryption
            RSA Public Key: (2048 bit)
                Modulus (2048 bit):
                    00:93:da:fd:d4:0a:7a:64:8a:08:d4:b0:94:c5:29:
                    f5:82:90:63:ac:d0:39:fb:3d:be:05:27:6f:34:d1:
                    1c:24:41:45:db:1a:6d:96:24:9f:14:c8:e0:3a:90:
                    e7:e2:4f:ab:0f:0c:4e:40:ef:6f:a9:df:0d:91:9d:
                    d7:9b:78:a1:8e:2d:1d:75:e8:09:f4:6b:6c:c8:c9:
                    f7:e0:d5:f8:ce:db:77:eb:eb:04:8f:2f:8b:b0:c1:
                    08:ce:7d:fd:50:23:c4:10:2e:67:d3:fb:4e:c8:3c:
                    a3:c0:6b:56:aa:81:f5:cd:1e:ce:54:82:b4:58:3c:
                    5f:4c:76:11:3d:d9:06:d6:78:f5:40:11:87:f5:cf:
                    d3:b2:3b:79:19:3f:0e:d4:8b:61:ab:b1:24:33:f3:
                    5d:51:19:99:22:42:23:26:dc:96:8c:7d:de:ef:05:
                    e7:fa:3c:1b:24:9b:0f:91:98:32:17:df:38:98:17:
                    9a:e9:7f:57:3e:de:47:47:79:4b:10:8c:bc:92:11:
                    ac:fe:d6:7e:22:58:69:48:cb:62:a2:f6:c2:31:50:
                    7b:f9:d4:96:d7:06:0a:7d:8a:b6:a1:82:c8:7e:ef:
                    97:e5:f3:79:f7:9a:e9:78:dc:f1:e6:d3:81:a9:f6:
                    14:9d:14:1f:49:87:bf:df:25:58:00:ca:b9:32:36:
                    7d:77
                Exponent: 65537 (0x10001)
        X509v3 extensions:
            X509v3 Key Usage: critical
                Digital Signature, Non Repudiation
            X509v3 Extended Key Usage: critical
                Time Stamping
            X509v3 Subject Key Identifier:
                B1:B0:BD:F7:E6:A0:69:16:6C:20:E5:51:FB:5C:F4:30:62:73:57:27
            X509v3 Authority Key Identifier:
                keyid:12:F2:5A:3E:EA:56:1C:BF:CD:06:AC:F1:F1:25:C9:A9:4B:D4:14:99
            X509v3 CRL Distribution Points:
                URI:http://www.sk.ee/repository/crls/eeccrca.crl
    Signature Algorithm: sha256WithRSAEncryption
        a8:a5:c5:3d:df:6c:15:3c:3e:9e:79:df:ac:0c:18:6d:e3:3b:
        7e:90:c3:cf:15:7b:f5:a4:85:f4:46:06:e2:cd:a2:af:1d:65:
```

SK ID Solutions AS Page 8 / 16



```
38:a0:7a:51:1f:cc:dc:82:8f:e0:a6:8b:51:2e:52:e1:65:b1:ed:bb:de:29:2c:53:7a:7a:7a:62:c8:73:70:7a:f9:26:53:2b:eb:05:6c:a5:38:d4:75:62:1c:1b:e1:d2:d2:f2:90:46:18:54:7a:79:17:61:1b:3a:0a:01:41:78:07:87:48:a1:73:a3:e2:9d:ba:ab:5c:98:50:b1:79:66:46:47:c6:14:05:36:2e:6e:c5:a9:3d:b6:00:85:94:6b:73:5e:e9:a3:2f:98:c1:9a:d5:9e:0d:31:84:e1:84:9a:df:8a:73:0d:78:f3:f1:50:23:3c:9f:6c:56:e3:a6:2b:61:34:83:25:b1:51:32:d7:17:d6:1e:be:b5:b3:44:bc:d5:16:ac:3e:a9:ec:01:57:62:38:a1:ff:fa:9a:26:4e:39:3d:b0:94:0f:e6:78:be:f3:af:78:67:7e:8e:ca:48:94:26:30:d5:23:67:a9:61:e9:10:48:56:f6:08:d2:df:80:fd:fa:53:2a:26:5f:be:2c:ff:5e:7d:9e:e0:f0:ba:8b:9e:f0:98:7e:44:80:e3:9a:bf:45:0a
```

SK ID Solutions AS Page 9 / 16



Contact information:

SK ID Solutions AS Registry code 10747013 Pärnu mnt 141, 11314 Tallinn Estonia

Tel +372 610 1880 (Mon-Fri 9.00-18.00 East European Time)

Fax +372 610 1881 E-mail: info@sk.ee

Homepage: http://www.sk.ee/en/

4.3.2. TSA Subscriber

The Subscribers are entities that hold a Subscriber agreement with SK time-stamping service. Subscriber may be an organisation comprising several end-users or an individual end-user. Organisations that are Subscribers, are responsible for the correct fulfilment of the obligations from its end-users and therefore are expected to suitably inform its end-users about the correct use of time-stamps and the conditions of the SK PS and SK TSA PS.

4.3.3. TSA Relying Party

A Relying Party is an individual or entity that acts in reliance of a TST generated under [ETSI EN 319 421] policy by SK TSA. A Relying Party may, or may not also be a Subscriber.

4.4. Time-Stamping Policy and TSA Practice Statement

SK TSA Time-Stamping Policy is based on the Time-Stamping Policy specified in [ETSI EN 319 421] and is applied to TSAs issuing TSTs.

This SK TSA Practice Statement is a form of SK Trust Services Practice Statement (SK PS) as specified in [ETSI EN 319 421] applicable to SK TSA issuing TSTs.

5. Time-Stamping Policies

5.1. General

SK TSA issues the TSTs in accordance with [ETSI EN 319 421] baseline Time-Stamping Policy. The TSTs are issued with an accuracy of 1 second of UTC or better.

5.2. Identification

The object-identifier (OID) of the baseline Time-Stamping Policy is 0.4.0.2023.1.1:

itu-t(0) identified-organization(4) etsi(0) time-stamp-policy(2023)
policy-identifiers(1) baseline-ts-policy (1)

This OID is referenced in every TST issued by SK TSA.

SK ID Solutions AS Page 10 / 16



6. Policies and practices

6.1. Risk assessment

Refer to clause 5.7.1 of SK PS.

6.2. Trust Service Practice Statement

Refer to 1.5.4, 2.2 and 5.8 of SK PS.

6.3. Terms and conditions

TSA Disclosure Statement is provided as a part of Terms and Conditions, which are available at https://www.sk.ee/en/repository/tsa.

6.4. Information security policy

Refer to section 5 of SK PS.

6.5. TSA Obligations

SK TSA obligations towards Subscribers and Relying Parties specified in section 9.6.1 of SK PS apply.

6.6. TSA Subscriber Obligations

The general obligations specified in section 9.6.3 of SK PS apply.

Subscriber is obligated to verify the signature of TSTs and ensure that the private key used to sign the TST has not been revoked.

Subscriber is obligated to use secure cryptographic functions for time-stamping requests.

Subscriber is obligated to inform its end-users (e.g. Relying Parties) about correct use of time-stamps and the conditions of the SK PS and SK TSA PS.

Subscriber obligations are also defined in the Subscriber agreement.

6.7. TSA Relying Party Obligations

The general obligations specified in section 9.6.4 of SK PS apply.

SK ID Solutions AS Page 11 / 16



Relying Parties verify that TST has been correctly signed with the key corresponding to TSU certificate and that the private key used to sign the TST has not been compromised until the time of verification and take measures in order to ensure the validity of the TSTs beyond the life-time of the SK TSA certificates.

Validity information has to be verified according to section 7.7.1 in this SK TSA PS.

6.8. Liability

The liability provisions in section 9.7, 9.8 and 9.9 of SK PS apply.

The liability of the SK to the Subscribers is stipulated in the Subscriber agreements to be signed with the Subscribers.

The liability of the SK to Relying Parties interested in the preservation of the proof value of the validity confirmations is regulated herein.

SK is not liable for the mistakes in the verification of the validity of time stamps or for the wrong conclusions conditioned by omissions or for the consequences of such wrong conclusions.

SK shall assume no liability for the loss of the proof value of validity confirmation due to Force Majeure.

7. TSA management and operation

7.1. Introduction

SK TSA implements all practices described in section 7.

The provision of a TST in response to a request is at the discretion of SK TSA depending on the Subscriber agreement.

7.2. Internal Organisation

The practices identified in section 9 of SK PS apply.

SK organisational structure, policies, procedures and controls apply to SK TSA. SK TSA organisational procedures comply with the standards and regulations referred in section 2.1 of this SK TSA PS.

7.3. Personnel Security

The practices identified in section 5.2 and 5.3 of SK PS apply.

SK ID Solutions AS Page 12 / 16



In addition, SK has employed a sufficient number of personnel having the necessary education, training, technical knowledge and experience relating to the type, range and volume of work necessary to provide time-stamping services.

7.4. Asset Management

The practices identified in section 5, 6.5 and 6.6.3 of SK PS apply.

7.5. Access Control

The practices identified in section 6.5 and 6.7 of SK PS apply.

7.6. Cryptographic Controls

7.6.1. TSU key generation

The practices of key generation described in section 6.1 and 6.2 of SK PS apply.

Personnel restrictions are described in section 5.2 and 5.3 of SK PS.

SK TSU is using RSA key pair with 2048-bit modulus. This key pair is used only for signing TSTs.

All cryptographic modules are associated with the same public key certificate.

7.6.2. TSU Private Key Protection

The practices of TSU key protection, storage, backup and recovery described in section 6.2 and 6.3 of SK PS apply.

TSU private key will be backed up and securely stored for the unlikely event of key loss due to unexpected power interruption or hardware failure. Key backup will occur as part of key generation ceremony. Backed up private key remains secret and their integrity and authenticity is retained.

7.6.3. TSU Public Key Certificate

TSU public keys are made available to Relying Parties in a public key certificate.

The certificate for TSU public key is issued by SK Root CA and is distributed in X.509 form on SK public web site https://www.sk.ee/en/repository/ and in the Estonian Trusted List (TL) https://sr.riik.ee/en/tsl/estonia.html. Validity information is available in periodically updated CRLs or OCSP service references located in the certificate.

Only one certificate is issued to any specific TSU key. TSU certificates are not renewed.

SK ID Solutions AS Page 13 / 16



SK TSU does not issue any TST before public key certificate is loaded into the TSU.

7.6.4. TSU Key Rekeying

TSU keys will have the expected lifetime of 5 years. A certificate is issued for the whole expected lifetime. TSU key lifetime is limited by SK Root CA certificate validity. With new Root CA certificate, a new TSU key will be generated.

7.6.5. Life cycle management of signing cryptographic hardware

The practices of HSM life cycle management are described in section 6.2 of SK PS apply.

7.6.6. End of TSU Key Life Cycle

SK takes measures to permanently disable access to the TSU private keys of after their expiry or revocation so that further use or derivation thereof is impossible.

7.7. Time-Stamping

7.7.1. Time-Stamp Issuance

SK TSA offers time-stamping services using RFC 3161 Time Stamp Protocol over HTTP transport. Service URL is specified in Subscriber agreements. Each TST contains Time-Stamping Policy identifier, unique serial number and TSU certificate containing SK TSA identification information.

SK TSU accepts SHA256, SHA384, SHA512 hash algorithms in time-stamp requests and uses SHA512 cryptographic hash function in TST signatures.

SK TSU keys are 2048-bit RSA keys. The key is used only for signing TSTs.

SK TSA logs all issued TSTs. TSTs will be logged for indefinite period. SK can prove the existence of particular TST on the request of Relying Party. SK might ask the Relying Party to cover the costs of such service.

SK TSU does not issue any TST when the end of the validity of the TSU private key has been reached.

7.7.2. Clock Synchronisation with UTC

SK TSA ensures that its clock is synchronised with UTC within the declared accuracy of 1 second using the NTP.

SK TSA monitors its clock synchronisation and ensures that, if the time that would be indicated in a TST drifts or jumps out of synchronisation with UTC, this will be detected. In the case of a TST drift or jump out of synchronisation with UTC, SK TSA stops issuing time-stamps until the issue is corrected. Information about loss of clock synchronisation will be made available in public media.

SK ID Solutions AS Page 14 / 16



Both local and remote NTP servers with GPS time sources are used for NTP reference. Monitoring of clock synchronisation is done by comparing the time sources.

Leap seconds are not considered and TSTs are issued as usual.

7.8. Physical and Environmental Security

The practices identified in section 5.1 and 6.7 of SK PS apply.

In addition, the access to TSA HSM's is allowed only for persons in the corresponding trusted roles.

7.9. Operation Security

The practices identified in section 6.5, 6.6 and 6.7 of SK PS apply.

7.10. Network Security

The practices identified in section 6.7 of SK PS apply.

TSU systems are configured with only these accounts, applications, services, protocols, and ports that are necessary in SK TSA's operations.

7.11. Incident Management

The practices identified in section 5.7.1 of SK PS apply.

7.12. Collection of evidence

The practices identified in section 5.4.1 of SK PS apply.

7.13. Business Continuity Management

The practices identified in section 5.7 of SK PS apply.

Backups of the database of all issued TSTs by SK TSA are kept in off-site storage.

If TSU private key is compromised or suspected to be compromised, SK will inform Subscribers and Relying Parties and will stop using the compromised key. SK TSA will revoke the TSU certificate. The following actions will be carried out in accordance with the crisis committee decision and recovery plan.

In case of loss of clock synchronisation, SK TSA suspends its operations to prevent further damage. Recovery plan is activated to restore the synchronisation and service.

SK ID Solutions AS Page 15 / 16



7.14. TSA termination and termination plans

In case of SK TSA termination SK follows the procedures described in section 5.8 of SK PS.

Additionally, SK takes steps to have the TSU certificates revoked.

7.15. Compliance

SK TSA has implemented the security regulations. Validation of the compliance with these regulations is performed during the annual independent conformity assessment as described in section 8 of SK PS.

The SK TSA's security regulations contain sensitive security information and are only available upon special agreement with SK.

SK ID Solutions AS Page 16 / 16